

1 3. A method as defined in claim 2, wherein said audio representation is
2 transmitted to the user over the telephone system in response to a second user request
3 entered at the telephone system.

4
5 4. A method as defined in claim 2, wherein prior to the act of generating an
6 audio representation of any text and any links, the Internet document is parsed to identify
7 any text and any links included in the selected region of the Internet document.

8
9 5. A method as defined in claim 1, wherein said Internet document comprises
10 HTML content.

11
12 6. A method as defined in claim 1, wherein the first user input comprises a
13 Uniform Resource Locator.

14
15 7. A method as defined in claim 1, further comprising the act of displaying the
16 Internet document on a user interface associated with the computer system.

17
18 8. A method as defined in claim 1, further comprising the act of prompting the
19 user for the first user input, second user input, third user input, and fourth user input.

20
21 9. A method as defined in claim 1, wherein the second user input comprises a
22 user highlighting a region of the Internet document.

1 10. A method as defined in claim 3, wherein the third user input indicates that
2 links are to be mapped, such that at least one link associated with the selected region is
3 mapped, and wherein the at least one link is associated with at least one other Internet
4 document.

6 11. A method as defined in claim 10, wherein the user is presented with a prompt
7 at the telephone system to select the at least one link.

9 12. A method as defined in claim 11, wherein the second user request selects the
10 at least one link in response to the prompt at the telephone system to select the at least one
11 link.

13 13. A method as defined in claim 12, wherein upon receiving the second user
14 request at the telephone, an audio representation of text of the at least one other Internet
15 document is transmitted to the user over the telephone system.

17 14. A method as defined in claim 1, wherein the act of creating a user-defined
18 map further comprises the acts of :

19 receiving a fifth user input that selects a second region to be mapped; and

20 receiving a sixth user input that causes one of either text and links of the
21 second selected region to be mapped; and

22 receiving a seventh user input that associates a second name with the second
23 selected region.

1 15. A method as defined in claim 14, wherein the second region comprises a
2 region of at least one other Internet document.

3
4 16. A method as defined in claim 15, wherein the at least one other Internet
5 document corresponds to at least one link of said any links of said Internet document.
6
7
8
9

1 17. In a network that includes a server system connected to the Internet, and a
2 computer system and a telephone system that communicate with the server system, a method
3 performed at the server system for enabling a user to access an Internet document with the
4 telephone system, such that content of the Internet document is presented to the user
5 according to a user-defined map of the Internet document, the method comprising the acts
6 of:

7 receiving an access request for the Internet document from a user using a
8 telephone system;

9 accessing a user-defined map, the user-defined map comprising:

10 information that identifies at least one region of the Internet
11 document;

12 at least one name associated with the at least one region; and

13 information that associates the at least one region with one of either
14 text and links;

15 parsing the Internet document to identify any text and any links included in
16 the at least one region;

17 generating an audio representation of said any text and any links contained in
18 the at least one region; and

19 transmitting said audio representation to the user over the telephone system.

20
21 18. A method as defined in claim 17, wherein the audio representation is
22 generated using a text to speech module at the server system.
23
24

1 19. A method as defined in claim 17, wherein the Internet document comprises
2 HTML content.

3
4 20. A method as defined in claim 17, wherein the Internet document comprises
5 Voice eXtensible Markup Language content.

6
7 21. A method as defined in claim 17, wherein said one of text and links of the at
8 least one region has been modified after the user-defined map was created.

9
10 22. A method as defined in claim 21, wherein the audio representation includes
11 said one of text and links of the at least one region that has been modified after the user-
12 defined map was created.

13
14 23. A method as defined in claim 1, wherein the act of transmitting the user-
15 defined map comprises the act of transmitting the user-defined map to the server system.

1 24. In the mapping module of a server system that communicates with a
2 telephone system and a computer system, a method for enabling a user to a map an Internet
3 document to control how text and links of the Internet document will be presented to the
4 user over the telephone system, the method comprising the acts of:

5 retrieving an Internet document in response to a first user input received from
6 the computer system, wherein the Internet document comprises at least one of text
7 and links;

8 creating a user-defined map of the Internet document by performing the acts
9 of:

10 receiving a second user input from the computer system, the second
11 user input selecting a region of the Internet document to be mapped;

12 receiving a third user input from the computer system, the third user
13 input causing the mapping module to map one of either text and links of the
14 selected region; and

15 receiving a fourth user input from the computer system, the fourth
16 user input causing the mapping module to associate a name with the selected
17 region; and

18 storing a copy of the user-defined map at a database that is associated with
19 the server system.

20
21 25. A method as defined by claim 24, wherein the Internet document comprises
22 HTML content.
23
24

1 26. A method as defined by claim 24, further comprising, prior to the act of
2 creating the user-defined map, the act of transmitting the Internet document to the computer
3 system, wherein the Internet document is displayed on a user interface.

5 27. A method as defined in claim 24, wherein the server system generates an
6 audio representation of any text and any links contained in the Internet document that
7 correspond to the user-defined map in response to a user input entered at the telephone
8 system.

10 28. A method as defined in claim 27, wherein said audio representation is
11 transmitted to the user over the telephone system in response to a second user input entered
12 at the telephone system.

14 29. A method as defined in claim 24, further comprising the act of prompting the
15 user for the first user input, second user input, third user input, and fourth user input.

17 30. A method as defined in claim 27, wherein prior to the act of generating an
18 audio representation of said any text and any links, the server system performs the act of
19 parsing the Internet document to identify said any text and any links included in the Internet
20 document.

Docket No 14999.39.1

33. A computer program product as defined in claim 31, where in the computer-readable medium further comprises program code means for displaying the Internet document on a user interface.